

Everest SQ/GF-7A Full Synthetic Passenger Car Motor Oil Grades 0W-20, 5W-20, 5W-30 and 10W-30

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

Revision Date: 04/16/2026

Date of Issue: 02/03/2026

Version: 2.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Everest SQ/GF-7A Full Synthetic Passenger Car Motor Oil Grades 0W-20, 5W-20, 5W-30 and 10W-30 **Product Code:** Prefix 21K

Synonyms: Engine oil; PCMO; Full Synthetic

SDS NO: 820526

1.2 Recommended Use and Restrictions on Use

Use Of The Substance/Mixture : Lubricating oil.

Restrictions On Use : If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

1.3. Name, Address, and Telephone of the Responsible Party

FOR PRODUCT MANUFACTURED IN THE U.S.A.:

Manufacturer

US Global Petroleum
9101 W Fullerton Ave
Franklin Park, IL 60131-3408
1-773-376-9660
www.usglobalpetroleum.com

1.4. Emergency Telephone Number

For Hazardous Materials [or Dangerous Goods] Incident
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC 24 Hours
CHEMTREC Customer Number (CCN): 1025250
1-800-424-9300 / 703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US/CA Classification

Serious eye damage/eye irritation, Category 2

H319

Reproductive toxicity, Category 2

H361

2.2. Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA) :



Signal Word (GHS-US/CA) :

Warning

Hazard Statements (GHS-US/CA) :

H319 - Causes serious eye irritation.
H361 - Suspected of damaging fertility or the unborn child.

Precautionary Statements (GHS-US/CA) :

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P264 - Wash hands, forearms and face thoroughly after handling.
P280 - Wear eye protection, protective clothing, protective gloves.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Everest SQ/GF-7A Full Synthetic Passegner Car Motor Oil Grades 0W-20, 5W-20, 5W-30 and 10W-30

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

P308+P313 - IF exposed or concerned: Get medical advice or attention.

P337+P313 - If eye irritation persists: Get medical advice or attention.

P405 - Store locked up.

P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3 Hazards associated with known or reasonably anticipated uses

If this product is used in unforeseeable chemical processes and not used as intended or reasonable, the hazards listed in Section 2.3 cannot cover all chemistries. Therefore, a Process Hazard Analysis (PHA) or other hazard assessment for additional specific end uses should be performed to ensure that hazards are fully understood, and adequate safety measures are in place. See Section 10 for relevant reactivity and stability information.

2.4. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.5 Unknown Acute Toxicity (GHS-US/CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Synonyms	Product Identifier	% *	GHS Ingredient Classification
Distillates, petroleum, hydrotreated heavy paraffinic	Petroleum distillates, hydrotreated heavy paraffinic / Distillates (petroleum), hydrotreated heavy paraffinic / Paraffin oil / Heavy paraffinic hydrotreated distillate / Hydrogenated mineral oil	(CAS-No.) 64742-54-7	80 - 100	Asp. Tox. 1, H304
Benzenamine, ar-nonyl-N-(nonylphenyl)-	Bis(nonylphenyl)amine / Aniline, ar-nonyl-N-(nonylphenyl)- / Bis(nonan-1-ylphenyl)amine	(CAS-No.) 36878-20-3	0.5 – 1.5	Repr. 2, H361 Aquatic Chronic 4, H413
Zinc, bis[O,O-bis(1,3-dimethylbutyl)phosphorodithioato-S,S']-, (T-4)-	O,O-Bis(1,3-dimethylbutyl)dithiophosphate zinc salt / 2-Pentanol, 4-methyl-, hydrogen phosphorodithioate, zinc salt / Phosphorodithioic acid, O,O-bis(1,3-dimethylbutyl) ester, zinc salt / Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) / Zinc O,O-di(1,3-dimethylbutyl)phosphorodithioate / Zinc, bis[O,O-bis(1,3-dimethylbutyl) phosphorodithioato-.kappa.S.,kappa.S']-, (T-4)-	(CAS-No.) 2215-35-2	≤ 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Zinc, bis[O,O-bis(2-ethylhexyl)phosphorodithioato-S,S']-, (T-4)-	Phosphorodithioate, O,O-bis(2-ethylhexyl), zinc / Phosphorodithioic acid, O,O-bis(2-ethylhexyl) ester, zinc salt / Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) / Zinc, dithiophosphate bis(2-ethylhexyl) / Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-.kappa.S.,kappa.S']-, (T-4)-	(CAS-No.) 4259-15-8	< 1	Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

*Percentages are listed in weight by weight percentage (w/w%). The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2022-272 and 29 CFR 1910.1200.

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Wash affected area with soap and water for at least 5 minutes. If exposed or concerned: Get medical advice/attention.

Eye Contact: Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Everest SQ/GF-7A Full Synthetic Passegger Car Motor Oil Grades 0W-20, 5W-20, 5W-30 and 10W-30

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye irritation. Suspected of damaging fertility or the unborn child.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: Suspected of damaging fertility or the unborn child.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Use fire extinguisher with class B rating. Water fog/mist, foam, carbon dioxide, dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures. Will float and can be reignited on water surface.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Sulfur oxides. Zinc oxides.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Spilled material may present a slipping hazard. Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

Everest SQ/GF-7A Full Synthetic Passegger Car Motor Oil Grades 0W-20, 5W-20, 5W-30 and 10W-30

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Avoid contact with skin, eyes and clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

Lubricating oil. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Mineral oils		
USA ACGIH	ACGIH® TLV® TWA	5 mg/m ³ Pure, highly and severely refined: 5 mg/m ³ TWA (inhalable particulate matter). Poorly and mildly refined: Exposure by all routes should be carefully controlled to levels as low as possible.
USA OSHA	OSHA PEL TWA	5 mg/m ³
USA NIOSH	NIOSH REL TWA	5 mg/m ³
Alberta	OEL TWA	5 mg/m ³
British Columbia	OEL TWA	1 mg/m ³ Severely refined [0.2 mg/m ³ for mildly refined oils]
Manitoba	OEL TWA	5 mg/m ³ ACGIH Value
Newfoundland & Labrador	OEL TWA	5 mg/m ³ ACGIH
Nova Scotia	OEL TWA	5 mg/m ³ ACGIH
Nunavut	OEL STEL	10 mg/m ³
Nunavut	OEL TWA	5 mg/m ³
Northwest Territories	OEL STEL	10 mg/m ³
Northwest Territories	OEL TWA	5 mg/m ³
Ontario	OEL TWA EV	5 mg/m ³ Pure, highly and severely refined
Québec	VECD (OEL STEV)	10 mg/m ³
Québec	VEMP (OEL TWA EV)	5 mg/m ³
Saskatchewan	OEL STEL	10 mg/m ³
Saskatchewan	OEL TWA	5 mg/m ³
Yukon	OEL STEL	10 mg/m ³
Yukon	OEL TWA	5 mg/m ³

8.2. Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Safety glasses with side-shields. Gloves. Protective clothing.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Everest SQ/GF-7A Full Synthetic Passenger Car Motor Oil Grades 0W-20, 5W-20, 5W-30 and 10W-30

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

Hand Protection: Wear protective gloves.

Eye and Face Protection: Safety glasses with side-shields.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Color	: Amber
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: 195 °C (383 °F)
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: Not applicable
Lower Flammable Limit	: No data available
Upper Flammable Limit	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20 °C	: No data available
Relative Density	: No data available
Specific Gravity	: 0.85 (water=1)
Solubility	: Water: Insoluble
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity, Kinematic	: No data available
Particle Characteristics	: No data available
Viscosity	: > 20.5 mm ² /s at 40 °C (104 °F)

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity:

Hazardous reactions will not occur under normal conditions.

10.2. Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of Hazardous Reactions, Including those Associated with Foreseeable Emergencies:

Hazardous polymerization will not occur.

10.4. Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials:

Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products:

Thermal decomposition may produce: Carbon oxides (CO, CO₂). Sulfur oxides. Zinc oxide.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

Likely routes of exposure: Dermal, Eye Contact, Inhalation, Oral.

Acute Toxicity (Oral): Not classified.

Acute Toxicity (Dermal): Not classified.

Everest SQ/GF-7A Full Synthetic Passenger Car Motor Oil Grades 0W-20, 5W-20, 5W-30 and 10W-30

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

Acute Toxicity (Inhalation): Not classified.

LD50 and LC50 Data: No additional information available.

Skin Corrosion/Irritation: Not classified.

Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: Not classified.

Germ Cell Mutagenicity: Not classified.

Carcinogenicity: Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not classified.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: Suspected of damaging fertility or the unborn child.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3)	
LD50 Oral Rat	> 5000 mg/kg (Source: ECHA_API)
Distillates, petroleum, hydrotreated heavy paraffinic (64742-54-7)	
LD50 Oral Rat	> 15 g/kg (Source: EPA_HPVP)
LD50 Dermal Rabbit	> 5000 mg/kg (Source: EPA_HPVP)
Zinc, bis[O,O-bis(1,3-dimethylbutyl) phosphorodithioato-S,S']-, (T-4)- (2215-35-2)	
LD50 Oral Rat	2000 – 5000 mg/kg (Source: CHEMVIEW)
LD50 Dermal Rabbit	> 3160 mg/kg (Source: NLM_CIP)
LC50 Inhalation Rat	> 2 mg/l (Exposure time: 1 h)
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)- (4259-15-8)	
LD50 Oral Rat	3100 mg/kg (Source: CHEMVIEW)
LD50 Dermal Rabbit	> 5000 mg/kg (Source: CHEMVIEW)

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General: Not classified.

Distillates, petroleum, hydrotreated heavy paraffinic (64742-54-7)	
LC50 Fish	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)
EC50 Crustacea	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Zinc, bis[O,O-bis(1,3-dimethylbutyl) phosphorodithioato-S,S']-, (T-4)- (2215-35-2)	
LC50 Fish	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static] Source: IUCLID)
EC50 Crustacea	4 – 6 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish	25 – 50 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)- (4259-15-8)	
LC50 Fish	10 – 35 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static] Source: IUCLID)
EC50 Crustacea	1 – 1.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish	1 – 5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)
Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3)	
LC50 Fish	> 1000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [semi-static])

Everest SQ/GF-7A Full Synthetic Passegger Car Motor Oil Grades 0W-20, 5W-20, 5W-30 and 10W-30

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

12.2. Persistence and Degradability

Everest SQ/GF-7A Full Synthetic Passenger Car Motor Oil Grades 0W-20, 5W-20, 5W-30 and 10W-30	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

Everest SQ/GF-7A Full Synthetic Passenger Car Motor Oil Grades 0W-20, 5W-20, 5W-30 and 10W-30	
Bioaccumulative Potential	Not established.
Zinc, bis[O,O-bis(1,3-dimethylbutyl) phosphorodithioato-S,S']-, (T-4)- (2215-35-2)	
Partition coefficient n-octanol/water (Log Pow)	2.21 at 20 °C (at pH >=5-<=6)
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)- (4259-15-8)	
Partition coefficient n-octanol/water (Log Pow)	3.59 at 22 °C (at pH 5)

12.4. Mobility in Soil

No additional information available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations. Material should be recycled if possible.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Not regulated for transport

14.2. In Accordance with IMDG

Not regulated for transport

14.3. In Accordance with IATA

Not regulated for transport

14.4. In Accordance with TDG

Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Everest SQ/GF-7A Full Synthetic Passegger Car Motor Oil Grades 0W-20, 5W-20, 5W-30 and 10W-30	
SARA Section 311/312 Hazard Classes	Health hazard - Reproductive toxicity Health hazard - Serious eye damage or eye irritation
Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
Distillates, petroleum, hydrotreated heavy paraffinic (64742-54-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
Zinc, bis[O,O-bis(1,3-dimethylbutyl) phosphorodithioato-S,S']-, (T-4)- (2215-35-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)- (4259-15-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active	

Everest SQ/GF-7A Full Synthetic Passegner Car Motor Oil Grades 0W-20, 5W-20, 5W-30 and 10W-30

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

15.2. US State Regulations

Neither this product nor its chemical components appear on any US state lists, or its chemical components are not required to be disclosed.

15.3. Canadian Regulations

Benzenamine, ar-nonyl-N-(nonylphenyl)- (36878-20-3)
Listed on the Canadian DSL (Domestic Substances List)
Distillates, petroleum, hydrotreated heavy paraffinic (64742-54-7)
Listed on the Canadian DSL (Domestic Substances List)
Zinc, bis[O,O-bis(1,3-dimethylbutyl) phosphorodithioato-S,S']-, (T-4)- (2215-35-2)
Listed on the Canadian DSL (Domestic Substances List)
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)- (4259-15-8)
Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 04/16/2026

Indication of Changes : Hazards identification. Language modified.


Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2022-272.

GHS Full Text Phrases:	
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life

NFPA Health Hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA Fire Hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA Reactivity Hazard : 0 - Material that in themselves are normally stable, even under fire conditions.



Glossary of Data Source Abbreviations

ATSDR: Agency for Toxic Substances and Disease Registry (U.S. Department of Health and Human Services)

AU_WES: Australia WES

CHEMVIEW: ChemView (U.S. Environmental Protection Agency)

EC_RAR: European Commission Renewal Assessment Report

EC_SCOEL: European Commission Scientific Committee on Occupational Exposure Limits

ECETOC: European Centre for Ecotoxicology and Toxicology of Chemicals Reports

ECHA_API: European Chemicals Agency API

ECHA_RAC: ECHA Committee for Risk Assessment

EFSA: European Food Safety Authority

EPA: U.S. Environmental Protection Agency

EPA_AEGL: Acute Exposure Guideline Levels (U.S. Environmental Protection Agency)

EPA_FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act Reregistration Eligibility Decision (U.S. Environmental Protection Agency)

EPA_HPVC: High Production Volume Chemicals (U.S. Environmental Protection Agency)

FOOD_JOURN: Food Research Journal (1956)

IARC: The International Agency for Research on Cancer

IDLH: National Institute for Occupational Health and Safety Immediately Dangerous to Life or Health Value Profiles

IUCLID: International Uniform Chemical Information Database

JAPAN_GHS: Japan GHS Basis for Classification Data

JP_J-CHECK: Japan J-Check

KR_NIER: South Korea National Institute of Environmental Research Evaluations

NICNAS: Australia National Industrial Chemicals Notification and Assessment Scheme

NIOSH: National Institute for Occupational Health and Safety (U.S. Department of Health and Human Services)

NLM_CIP: National Library of Medicine ChemID plus database

NLM_HSDB: National Library of Medicine Hazardous Substance Data Bank

NLM_PUBMED: National Library of Medicine PubMed database

NTP: National Toxicology Program

NZ_CCID: New Zealand Chemical Classification and Information Database

OECD_EHSP: Environment, Health, and Safety Publication (Organisation for Economic Co-operation and Development)

Everest SQ/GF-7A Full Synthetic Passegner Car Motor Oil Grades 0W-20, 5W-20, 5W-30 and 10W-30

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

EPA_TRED: Risk Assessment for Tolerance Reassessment Eligibility Decision (U.S. Environmental Protection Agency)	OECD_SIDS: Screening Information Data Sets (Organisation for Economic Co-operation and Development)
EU_CLH: European Union Harmonised Classification and Labelling Proposal	WHO: World Health Organization
EU_RAR: European Union Risk Assessment Report	

The information contained herein is correct to the best of our knowledge, information, and belief and is designed only as guidance for the handling, use, processing, storage, transportation, disposal, and release of the product. User assumes all risks incident to use of this product and shall determine the quality and suitability of the product for its use. Supplier offers no warranty, express or implied, whatsoever, including warranties of merchantability or fitness for a particular purpose or otherwise, and specifically disclaims any and all liability for incidental, consequential, or other damages arising out the use or misuse of the product. The information provided relates only to the specific material provided and may not be valid if used in combination with any other materials or process, unless specified herein.

NA GHS SDS 2024 (Can, US)